



DDI is the perfect option for any facility looking to provide greater air movement in large spaces such as warehouses, manufacturing centers, shipping or dock and door areas. DDI is designed for minimal complexity while providing significant airflow due to its custom-built direct drive motor and 3 aerodynamically efficient blades.

- Maintenance-Free Direct Drive Motor
- Wall-Mounted Forward/Reverse, 3 Speed Controller
- Fast and Easy Installation with Minimal **Electrical Wiring**







MODELS AVAILABLE

24' (7.32m) 20' (6.10m)

INPUT POWER OPTIONS

AC 1PH 200-240V 50/60HZ AC 3PH 200-240V 50/60HZ AC 3PH 380-480V 50/60HZ

POWER (HP) 9/10 HP MAX. EFFECTED AREA 13,000 SQFT (1208 m²)

DECIBEL <55 DB FAN DIAMETER 24 FT (7.32m) - 20 FT (6.10m) FAN WEIGHT 150 LB (68 KGS) **CLEAR ANODIZED** MOTOR FINISH SILVER & BLACK POWDERCOAT

CERTIFICATIONS

ETL/INTERTEK TO ANSI/UL 507 CSA C22.2 NO 113 IN NORTH AMERICA International IEC 61800-3 CE

5 YEAR, NON-PRORATED LIFETIME WARRANTY ON AIRFOILS







